



European Patent Office D-80298 Munich Fax No. 49892399-4465 Authorized Officer: Zellner, A April 14, 2005

Re: International Application No. PCT/IB2004/003668

Warner-Lambert Company LLC

Docket No. PC26158

## RESPONSE TO WRITTEN OPINION OF INTERNATIONAL SEARCHING AUTHORITY

Dear Sirs,

This communication is being submitted in response to the Written Opinion of the International Preliminary Examining Authority ("IPEA The IPEA has rejected claims 1, 4, 5 and 6 as lacking novelty in view of references D12 Daim 9 is being treated as a method claim and is rejected as lacking utility. The IPEA has stated that the remaining claims are novel and possess an inventive step in light of references 11-D6.

In order to advance the prosecution of this application, claims 1 and 9 have been amended. The definition for R has been amended to exclude halogen. R must now be represented by a haloalkyl or haloalkyl moiety. The claims only read on 2-amino-5-cyano-pyridines that are further substituted at positions 3 or 4 with a haloalkyl or haloalkoxy moiety. Position 6 of the pyridine core may still be optionally be substituted with a halogen. It is respectfully submitted this amendment removes any overlap with references D1-D4.

Claim 9 has now been converted into a Swiss-use claim. Substitute sheets 37 - 40 reflecting the amendments described above accompany this report. An International Preliminary Examination Report confirming the patentability of claims 1-14 is hereby requested.

Date

Warner-Lambert Company Patent Department (421W) 2800 Plymouth Road Ann Arbor, MI 48105 (734) 622-1705 Respectfully\_submitted,

J. Michael Dixon

Attorney for Applicant(s)

Reg. No. 32,410

## IAP9 Rec'd PCT/PTO 18 MAY 2006

- 37 -

**CLAIMS** 

What is claimed is:

## 1. A compound of the formula:

$$\begin{array}{c|c}
 & R^1 \\
 & N \\
 & N \\
 & X^2
\end{array}$$

5

and the pharmaceutically acceptable salts, hydrates, and prodrugs thereof, wherein;

a) R1 is represented by (C1-C2)alkyl, substituted with one or more halogens, or (C1-C2)alkoxy, substituted with one or more halogens,

10

15

20

- b) R2 is represented by hydrogen ox herogen,
- c) X1 and X2 are each independently represented by
  - ည်းစွဲကိုally substituted,
  - ii) (C2-C12) alkerryl, optionally substituted,
  - (C₂-C�)alkynyl, optionally substituted, iii)

iv)

- 义)cycloalkyl, optionally substituted,
- $\hat{C}_{10}$ )cycloalkyl( $C_1$ - $C_6$ )alkyl, in which the alkyl and cycloalkyl moieties may each be optionally substituted,
- vi) (C<sub>6</sub>-C<sub>10</sub>)aryl, optionally substituted,

vii)

(C<sub>6</sub>-C<sub>10</sub>)aryl(C<sub>1</sub>-C<sub>6</sub>)alkyl, in which both the alkyl and aryl moieties may be optionally substituted,

-(CH<sub>2</sub>)<sub>q</sub>-CH<sub>2</sub>-ZH, in which Z is S or O and q is an integer viii) from 1-11,

-(CH<sub>2</sub>)<sub>n</sub>-Y-(CH<sub>2</sub>)<sub>p</sub>-CH<sub>3</sub>, in which Y is O or S, n is an integer ix) from 1 to 4, and p is an integer from 1 to 4,

25

- -[CH<sub>a</sub>]<sub>m</sub>-C(O)R<sup>3</sup>, in which m is an integer selected from 1 x) to 8 and R3 is represented by hydrogen, (C1-C12)alkyl, (C6- $C_{10}$ )aryl, or  $(C_6-C_{10})$ aryl $(C_1-C_6)$ alkyl, in which both the alkyl and aryl moieties may be optionally substituted,
- -[CH<sub>2</sub>]<sub>m</sub>-C(O)-O-R<sup>4</sup>, in which m is as defined above and R<sup>4</sup> xi) is represented by hydrogen, (C1-C12)alkyl, (C6-C10)aryl, or

30

 $(C_6-C_{10})$ aryl $(C_1-C_6)$ alkyl, in which the alkyl and aryl moieties may be optionally substituted,

- rii) -[CH<sub>2</sub>]m-C(O)-NR<sup>5</sup>R<sup>6</sup> in which m is as described above, and R<sup>5</sup> and R<sup>6</sup> are each independently represented by hydrogen, (C<sub>1</sub>-C<sub>12</sub>)alkyl, (C<sub>6</sub>-C<sub>10</sub>)aryl, or (C<sub>6</sub>-C<sub>10</sub>)aryl(C<sub>1</sub>-C<sub>6</sub>)alkyl, in which the alkyl and aryl moieties may each be optionally substituted,
- i) heteroaryl, optionally substituted,
- ii) heteroaryl(C<sub>1</sub>-C<sub>6</sub>)alkyl, in which the heteroaryl and alkyl moieties may each be optionally substituted,
- iii) heterocyclic, optionally substituted, or,
- iv) heterocyclic(C<sub>1</sub>-C<sub>6</sub>)alkyl, in which the alkyl and heterocyclic moieties may each be optionally substituted.
- 2. A compound according to claim 1 in which is represented by trifluomethyl.
- 3. A compound according to any ore of claim s 1- or 2 in which said trifluoromethyl is located at the 4-position of the pyridine ring.
- 4. A compound according to anyone of claims 1-3 in which R<sup>2</sup> is hydrogen.
- 5. A compound according to anyone of claims 1-4 in which X¹ is (C₁20 C12)alkyl and X2 is (C6-C10)aryl(C1-C6)alkyl.
  - 6. A compound according to anyone of claims 1-5 in which X¹ and X² are each (C<sub>1</sub>-C<sub>12</sub>)alkyl
  - 7. A compound according to anyone of claims 1-6 in which X¹ is (C₁-C₁₂)alkyl and X 2 is (C3-C10)cycloalkyl(C1-C6)alkyl.
- A compound according to claim 1 selected from the group consisting of (R)-(+)- 6-[Methyl-(1-Phenyl-ethyl)-amino]-4-trifluoromethyl-nicotinonitrile,
- ( R)-(+)-2-Chloro-6-[methyl-(1-phenyl-ethyl)-amino]-4-trifluoromethylnicotinonitrile,

5

10

15

6-[methyl-(1-phenyl-ethyl)-amino]-4-trifluoromethyl-nicotinonitrile,

6-[methyl-(1-phenyl-ethyl)-amino]-4-trifluoromethoxy-nicotinonitrile,

6-[methyl-(1-(4-fluorophenyl)-ethyl)-amino]-4-trifluoromethyl-nicotinonitrile,

6-[methyl-(1-(3-hydroxyphenyl)-ethyl)-amino]-4-trifluoromethyl-

nicotinonitrile,

5

10

15

20

25

6-[butyl(1-(3-hydroxyphenyl)-ethyl)-amino]-4-trifluoromethoxy-nicotinonitrile.

6-dipropylamino-4-trifluoromethyl-nicotinonitrile,

2-chloro-6-dimethylamino-4-trifluoromethyl-nicotinonitrile,

6-(hexyl-octyl-amino)-4-trifluoromethyl-nicotinonitrile,

6-(sec-butyl-methyl-amino)-4-trifluoromethyl-nicotinonitrile,

6-[butyl-(2-hydroxy-ethyl)-amino]-4-trifluoromethyl-nicotinonitrile,

6-(butyl-methyl-amino)-4-trifluoromethyl-nicotinonitrile,

6-(benzyl-methyl-amino)-4-trifluoromethyl-nicotinonitrile,

6-(cyclohexyl-propyl-amino)-4-trifluoromethy sicotinonitrile,

6-(cyclopropylmethyl-propyl-amino)-4相違oromethyl-nicotinonitrile,

6-(sec-butyl-methyl-amino)-2-chlore-trifluoromethyl-nicotinonitrile,

6-Dipropylamino-2-chloro-4-trif@gremethyl-nicotinonitrile,

6-(propyl-methyl-amino) 2-caloro-4-trifluoromethyl-nicotinonitrile, and,

6-(Butyl-methyl-amino)-2-chloro-4-trifluoromethyl-nicotinonitrile.

- 9. Use of a comparing according to anyone of Claims 1-8 in the manufacture of medicament.
- 10. Use of a compound according to anyone of Claims 1-8 in the manufacture of a medicament for inhibiting activation of the androgen receptor.
  - A pharmaceutical composition comprising a compound according to any one of Claims 1-8 in admixture with 1, or more, pharmaceutically acceptable excipients.
- 12. A topical pharmaceutical formulation comprising a compound according to anyone of Claims 1-8 in admixture with 1, or more, pharmaceutically acceptable excipients suitable for dermal application.

13. An article of manufacture comprising a compound according to any one of Claims 1-8 packaged for retail distribution which advises a consumer how to utilize the compound to alleviate a condition selected from the group consisting of acne, alopecia, and oily skin.

5

14. Use of a compound according to any one of claims 1-8 in the manufacture of a medicament for alleviating a condition selected from the group consisting of hormone dependent cancers, benign hyperplasia of the prostate, acne, hirsutism, excess sebum, alopecia, premenstrual syndrome, lung cancer, precocious puberty, osteoporosis, hypogonadism, age-related decrease in muscle mass, and anemia.

15

10